

CHECKLIST | CSAUNA

Barrel and Glass Sauna Installation Checklist

Sauna checklist for barrel sauna and glass-front sauna installation planning, including base, bands, glass handling, of cover, heater clearance, and final inspection. Expanded Sauna v2 public document with buyer evidence, RFQ, installation, maintenance, and cooperation details.

Public Guide

for planning, RFQ, handover, and service communication

Company

Ganzhou Jixiao Home Technology Co., Ltd.

Contact

hnett@csauna.com

Version

2026-06-06-v3

This document supports buyer education. It does not replace the final model-specific manual, licensed installer/electrician advice, local building/electrical/fire code, or the formal Sauna quotation.



How to use this document: Share it with distributors, installers, builders, resort project teams, and after-sales staff before confirming product configuration, heater scope, delivery, installation, and warranty evidence.

Purpose

Barrel saunas and glass-front outdoor rooms sell well because they look strong in showroom photos. They also need careful alignment, glass protection, roof sealing, and heater clearance checks.

Pre-Assembly Checklist

- Confirm the base is level before placing support cradles or floor rails.
- Count staves, hoops/bands, glass panels, door hardware, roof kit, benches, screws, and trim before assembly.
- Sort curved, side, roof, and front parts by the assembly sequence.
- Keep glass vertical or padded; never rest bare glass edges on concrete, tile, or metal.
- Check whether the model uses an asphalt shingle roof, metal roof, full wrap, or partial rain cover.

Barrel-Specific Attention Points

- Keep the first support pieces square; barrel shape depends on early alignment.
- Tighten bands gradually and evenly instead of fully tightening one band first.
- Watch for gaps between staves; wood will move with humidity, but large gaps should be photographed before use.
- Install roof protection far enough down the barrel curve for the destination climate.
- Recheck bands after the first heating cycles and seasonal humidity changes.

Glass-Specific Attention Points

- Confirm door swing and handle orientation before fastening glass hardware.
- Use padding during assembly and keep glass panels away from hard floor edges.
- Do not force misaligned glass into a frame; square the structure first.
- Check silicone/sealant boundaries only where specified by the model drawing.
- Photograph glass before and after installation for warranty evidence.

Final Acceptance Photos

- Front view, side view, rear view, roof cover, heater guard, benches, vents, door gap, control/sensor position, and crate labels.
- Any missing accessory, cosmetic issue, scratch, glass chip, trim gap, water entry point, or heater question should be documented before regular use.

Barrel and Glass Risk Points

Barrel and glass-front models create strong first impressions, but they are less forgiving during assembly. Early alignment, even band tension, protected glass handling, and roof weatherproofing all affect the final buyer experience.

- Do not fully tighten one band before the others have been aligned; tighten gradually and recheck after first heating cycles.
- Do not force a glass panel into a frame that is out of square; correct the structure first.
- Check the roof cover, flashing, or exterior coating plan against the destination climate before installation.

- Photograph glass edges, door gaps, hinges, handles, and seal lines before the sauna enters regular use.
-

After First Heating Cycles

- Recheck barrel bands, door swing, bench fasteners, heater guard, vent openings, and any visible wood movement.
 - Record whether condensation clears after the door is left open and the room dries naturally.
 - Ask the user to report unusual water entry, strong persistent odor, heater shutdown, or glass hardware movement before heavy use continues.
-

Dealer Showroom Note

If a distributor uses a barrel or glass sauna as a showroom display, the store should keep a visible maintenance log. This protects the showroom asset and gives end buyers confidence that wood movement, cleaning, and heater checks are normal parts of sauna ownership.

How CSauna Uses This Public Guide

Use this guide before quotation to align the buyer, installer, distributor, builder, and CSauna sales/support team on the same project assumptions.

For production and shipment, CSauna still confirms the final model drawing, heater specification, package list, carton marks, spare-parts plan, and after-sales path in the project file.

- For distributors: convert this guide into dealer training, showroom handover, and post-sale support notes.
 - For hotels, spas, gyms, and builders: attach this guide to the project submittal so site teams understand what must be ready before installation.
 - For private-label buyers: use the structure as a public customer education file while CSauna prepares private-label manuals or carton inserts separately.
-

Public Reference Boundary

This CSauna document was rewritten from CSauna internal sauna reference files and checked against public sauna resource patterns from brands that publish assembly manuals, installation manuals, diagrams, heater manuals, care guides, and warranty support resources. It is original CSauna buyer guidance, not a copied third-party manual.

- Electrical, heater, chimney, fire-clearance, and building-code decisions must follow the shipped product manual and local licensed professionals.
- CSauna can prepare project-specific documentation after the buyer confirms model code, quantity, destination market, heater type, control preference, packaging needs, and timeline.

CSauna | Ganzhou Jixiao Home Technology Co., Ltd.

Website: <https://csauna.com> | Contact: bennett@csauna.com | Public page: <https://csauna.com/barrel-glass-sauna-installation-checklist/>